

Sanitary Facilities

The nature of the soil is important in selecting sites for sanitary facilities, and in identifying limiting soil properties and site features to be considered in planning, design, and installation. Soil limitations ratings of slight, moderate, or severe are given for septic tank absorption fields, sewage lagoons, and trench and area type sanitary landfills. Soil suitability ratings of good, fair, and poor are given for daily cover for landfills. Limitations or suitability terms used in this subsection are as follows:

Slight (or Good) - relatively free of limitations or limitations are easily overcome.

Moderate (or Fair) - limitations need to be recognized, but usually can be overcome with good management or special design.

Severe (or Poor or Very Poor) - limitations are difficult or impractical to overcome.

Sanitary Facility Type

Septic Tank Absorption Fields are subsurface systems of tile or perforated pipe that distribute effluent from a septic tank into the natural soil. The centerline depth of the tile is assumed to be at a depth of 24 inches. Only the soil between depths of 24 and 60 inches is considered in making the ratings. The soil properties and site features considered are those that affect the absorption of the effluent, those that affect the construction and maintenance of the system, and those that may affect public health.

Sewage Lagoons are shallow ponds constructed to hold sewage while aerobic bacteria decompose the solid and liquid wastes. Lagoons have a nearly level floor surrounded by cut slopes or embankments of compacted, relatively impervious soil material. Aerobic lagoons generally are designed so that the depth of sewage is 2 to 5 feet. Relatively impervious soil for the lagoon floor and sides is desirable to minimize seepage and contamination of local ground water.

Sanitary Landfill (trench) is a method of disposing of solid waste by placing refuse in successive layers in an excavated trench. The waste is spread, compacted, and covered daily with a thin layer of soil that is excavated from the trench. When the trench is full, a final cover of soil material at least 2 feet thick is placed over the landfill. Properties that influence risk of pollution, ease of excavation, trafficability, and revegetation are major considerations.

Sanitary Landfill (area) is a method of disposing of solid waste by placing refuse in successive layers on the surface of the soil. The waste is spread, compacted, and covered daily with a thin layer of soil that is imported from a source away from the site. A final cover of soil at least 2 feet thick is placed over the completed landfill. Properties that influence trafficability, revegetation, and risk of pollution are the main considerations for area type sanitary landfills.

Daily Cover For Landfill is the soil material that is applied daily to compacted solid waste in an area type sanitary landfill. The cover material is obtained offsite, transported, and spread on the area. Suitability of a soil for use as cover is based on properties that reflect workability and the ease of digging and of moving and spreading the material over the refuse daily during both wet and dry periods.

See the National Soil Survey Handbook, Part 620, for criteria used in rating specific uses.

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
AbE					
ABRAM	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Severe: depth to rock, slope	Poor: depth to rock, slope
ROCK OUTCROP	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock	Poor: depth to rock, slope
ACC					
ABRAM	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock, seepage	Severe: depth to rock	Poor: depth to rock
ROCK OUTCROP	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock	Poor: depth to rock
LYMAN	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock
ACE					
ABRAM	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Severe: depth to rock, slope	Poor: depth to rock, slope
LYMAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Poor: depth to rock, slope
ROCK OUTCROP	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock	Poor: depth to rock, slope

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
AdA					
ADAMS	Severe: poor filter	Severe: seepage	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, too sandy
AdB					
ADAMS	Severe: poor filter	Severe: seepage	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, too sandy
AdC					
ADAMS	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, too sandy
AdD					
ADAMS	Severe: poor filter, slope	Severe: seepage, slope	Severe: seepage, slope, too sandy	Severe: seepage, slope	Poor: seepage, slope, too sandy
AED					
ADAMS	Severe: poor filter, slope	Severe: seepage, slope	Severe: seepage, slope, too sandy	Severe: seepage, slope	Poor: seepage, slope, too sandy
AGC					
ADAMS	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, too sandy
CROGHAN					
	Severe: poor filter, wetness	Severe: seepage, wetness	Severe: seepage, too sandy, wetness	Severe: seepage, wetness	Poor: seepage, too sandy
AHC					
ADAMS	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, too sandy
HERMON					
	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
AHD					
ADAMS	Severe: poor filter, slope	Severe: seepage, slope	Severe: seepage, slope, too sandy	Severe: seepage, slope	Poor: seepage, slope, too sandy
HERMON	Severe: poor filter, slope	Severe: seepage, slope	Severe: seepage, slope, too sandy	Severe: seepage, slope	Poor: seepage, small stones, too sandy
Au					
AU GRES	Severe: poor filter, wetness	Severe: seepage, wetness	Severe: seepage, too sandy, wetness	Severe: seepage, wetness	Poor: seepage, too sandy, wetness
BeB					
BECKET	Severe: percs slowly	Moderate: seepage, slope	Slight:	Slight:	Poor: seepage
BeC					
BECKET	Severe: percs slowly	Severe: slope	Moderate: slope	Moderate: slope	Poor: seepage
BeD					
BECKET	Severe: percs slowly, slope	Severe: slope	Severe: slope	Severe: slope	Poor: seepage, slope
BgB					
BELGRADE	Severe: wetness	Severe: wetness	Severe: wetness	Moderate: wetness	Good.:
BgC2					
BELGRADE	Severe: wetness	Severe: slope, wetness	Severe: wetness	Moderate: slope, wetness	Fair: slope
BkB					
BECKET	Severe: percs slowly	Moderate: seepage, slope	Slight:	Slight:	Poor: seepage, small stones

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
BkC					
BECKET	Severe: percs slowly	Severe: slope	Moderate: slope	Moderate: slope	Poor: seepage, small stones
BkD					
BECKET	Severe: percs slowly, slope	Severe: slope	Severe: slope	Severe: slope	Poor: seepage, slope, small stones
Bo					
BIDDEFORD	Severe: percs slowly, ponding	Severe: excess humus, ponding	Severe: ponding, too clayey	Severe: ponding	Poor: hard to pack, ponding, too clayey
Bp					
BRAYTON	Severe: percs slowly, wetness	Severe: wetness	Severe: wetness	Severe: wetness	Poor: small stones, wetness
PEACHAM	Severe: percs slowly, ponding	Severe: excess humus, ponding	Severe: ponding	Severe: ponding	Poor: ponding
BRB					
BRAYTON	Severe: percs slowly, wetness	Severe: wetness	Severe: wetness	Severe: wetness	Poor: small stones, wetness
PEACHAM	Severe: percs slowly, ponding	Severe: excess humus, ponding	Severe: ponding	Severe: ponding	Poor: ponding
BuB					
BUXTON	Severe: percs slowly, wetness	Moderate: slope	Severe: too clayey, wetness	Severe: wetness	Poor: hard to pack, too clayey, wetness
BuC2					
BUXTON	Severe: percs slowly, wetness	Severe: slope	Severe: too clayey, wetness	Moderate: slope, wetness	Poor: hard to pack, too clayey

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
Ca					
CHARLES	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Poor: wetness
CaB					
CANAAN	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock, small stones
CaC					
CANAAN	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock, small stones
Cb					
CHARLES	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Poor: wetness
CeB					
CANAAN	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock
CeC					
CANAAN	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock
CeE					
CANAAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Poor: depth to rock, slope
CgB					
COLTON	Severe: poor filter	Severe: seepage	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy
CgC					
COLTON	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
CHC					
COLTON	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy
ADAMS	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, too sandy
Ck					
COASTAL BEACHES	Severe: flooding, poor filter, wetness	Severe: flooding, seepage, wetness	Severe: flooding, seepage, wetness	Severe: flooding, seepage, wetness	Poor: seepage, too sandy, wetness
Cp					
CORNISH	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Poor: wetness
CrA					
CROGHAN	Severe: poor filter, wetness	Severe: seepage, wetness	Severe: seepage, too sandy, wetness	Severe: seepage, wetness	Poor: seepage, too sandy
CrB					
CROGHAN	Severe: poor filter, wetness	Severe: seepage, wetness	Severe: seepage, too sandy, wetness	Severe: seepage, wetness	Poor: seepage, too sandy
Cu					
CUT AND FILL LAND	Limitation: variable	Limitation: variable	Limitation: variable	Limitation: variable	Limitation: variable
DeA					
DEERFIELD	Severe: poor filter, wetness	Severe: seepage, wetness	Severe: seepage, too sandy, wetness	Severe: seepage, wetness	Poor: seepage, too sandy
DeB					
DEERFIELD	Severe: poor filter, wetness	Severe: seepage, wetness	Severe: seepage, too sandy, wetness	Severe: seepage, wetness	Poor: seepage, too sandy

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
DfB					
DIXFIELD	Severe: percs slowly, wetness	Severe: wetness	Severe: wetness	Moderate: wetness	Fair: small stones, wetness
DfC					
DIXFIELD	Severe: percs slowly, wetness	Severe: slope, wetness	Severe: wetness	Moderate: slope, wetness	Fair: slope, small stones, wetness
DsB					
DIXFIELD	Severe: percs slowly, wetness	Severe: wetness	Severe: wetness	Moderate: wetness	Poor: small stones
DsC					
DIXFIELD	Severe: percs slowly, wetness	Severe: slope, wetness	Severe: wetness	Moderate: slope, wetness	Poor: small stones
Du					
DUNE LAND	Severe: poor filter, slope	Severe: seepage, slope	Severe: seepage, slope, too sandy	Severe: seepage, slope	Poor: seepage, slope, too sandy
DUC					
DIXFIELD	Severe: percs slowly, wetness	Severe: slope, wetness	Severe: wetness	Moderate: slope, wetness	Poor: small stones
DWC					
DIXFIELD	Severe: percs slowly, wetness	Severe: slope, wetness	Severe: wetness	Moderate: slope, wetness	Fair: slope, small stones, wetness
DW					
MARLOW	Severe: percs slowly	Severe: slope	Moderate: slope	Moderate: slope, wetness	Fair: slope, small stones, wetness

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
DXC					
DIXFIELD	Severe: percs slowly, wetness	Severe: slope, wetness	Severe: wetness	Moderate: slope, wetness	Poor: small stones
MARLOW					
MARLOW	Severe: percs slowly	Severe: slope	Moderate: slope	Moderate: slope	Fair: slope, small stones
DXD					
DIXFIELD	Severe: percs slowly, slope, wetness	Severe: slope, wetness	Severe: slope, wetness	Severe: slope	Poor: slope, small stones
MARLOW					
MARLOW	Severe: percs slowly, slope	Severe: slope	Severe: slope	Severe: slope	Poor: slope
EmB					
ELMWOOD	Severe: percs slowly, wetness	Severe: seepage	Severe: too clayey, wetness	Severe: seepage	Poor: hard to pack, too clayey
Gp					
GRAVEL PITS	Severe: poor filter	Severe: seepage	Severe: seepage, too sandy	Slight:	Poor: seepage, small stones, too sandy
HfB					
HARTLAND	Moderate: percs slowly	Moderate: seepage, slope	Slight:	Slight:	Good.:
HfC2					
HARTLAND	Moderate: percs slowly, slope	Severe: slope	Moderate: slope	Moderate: slope	Fair: slope
HfD2					
HARTLAND	Severe: slope	Severe: slope	Severe: slope	Severe: slope	Poor: slope

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
HgB					
HERMON	Severe: poor filter	Severe: seepage	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy
HgC					
HERMON	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy
HgD					
HERMON	Severe: poor filter, slope	Severe: seepage, slope	Severe: seepage, slope, too sandy	Severe: seepage, slope	Poor: seepage, small stones, too sandy
HhB					
HERMON	Severe: poor filter	Severe: seepage	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy
HhC					
HERMON	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy
HhD					
HERMON	Severe: poor filter, slope	Severe: seepage, slope	Severe: seepage, slope, too sandy	Severe: seepage, slope	Poor: seepage, small stones, too sandy
HkC					
HERMON	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy
HkE					
HERMON	Severe: poor filter, slope	Severe: seepage, slope	Severe: seepage, slope, too sandy	Severe: seepage, slope	Poor: seepage, small stones, too sandy
HlB					
HINCKLEY	Severe: poor filter	Severe: seepage	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
H1C					
HINCKLEY	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy
H1D					
HINCKLEY	Severe: poor filter, slope	Severe: seepage, slope	Severe: seepage, slope, too sandy	Severe: seepage, slope	Poor: seepage, small stones, too sandy
HnB					
HINCKLEY	Severe: poor filter	Severe: seepage	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy
HnC					
SUFFIELD	Severe: percs slowly, wetness	Moderate: slope	Severe: too clayey, wetness	Moderate: wetness	Poor: hard to pack, too clayey
HnD					
HINCKLEY	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy
HnE					
SUFFIELD	Severe: percs slowly, wetness	Severe: slope	Severe: too clayey, wetness	Moderate: slope, wetness	Poor: hard to pack, too clayey
HnF					
HINCKLEY	Severe: poor filter, slope	Severe: seepage, slope	Severe: seepage, slope, too sandy	Severe: seepage, slope	Poor: seepage, small stones, too sandy
HnG					
SUFFIELD	Severe: percs slowly, slope, wetness	Severe: slope	Severe: slope, too clayey, wetness	Severe: slope	Poor: hard to pack, slope, too clayey
HrB					
HOLLIS	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock, small stones

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
HrC					
HOLLIS	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock, small stones
HrD					
HOLLIS	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Poor: depth to rock, slope
HsB					
HOLLIS	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock
HsC					
HOLLIS	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock
HsE					
HOLLIS	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Poor: depth to rock, slope
HTD					
HERMON	Severe: poor filter, slope	Severe: seepage, slope	Severe: seepage, slope, too sandy	Severe: seepage, slope	Poor: seepage, small stones, too sandy
HTD					
MONADNOCK	Severe: slope	Severe: seepage, slope	Severe: seepage, slope	Severe: seepage, slope	Poor: seepage, slope
HTE					
HERMON	Severe: poor filter, slope	Severe: seepage, slope	Severe: seepage, slope, too sandy	Severe: seepage, slope	Poor: seepage, small stones, too sandy
HTE					
MONADNOCK	Severe: slope	Severe: seepage, slope	Severe: seepage, slope	Severe: seepage, slope	Poor: seepage, slope

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
HVC					
HERMON	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy
SKERRY					
SKERRY	Severe: percs slowly, wetness	Severe: slope	Severe: wetness	Moderate: wetness	Poor: seepage, small stones
Ls					
LIMERICK	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Severe: flooding, wetness	Poor: wetness
SACO					
SACO	Severe: flooding, ponding	Severe: flooding, ponding	Severe: flooding, ponding	Severe: flooding, ponding	Poor: ponding
LtB					
LYMAN	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock
TUNBRIDGE					
TUNBRIDGE	Severe: depth to rock	Severe: depth to rock, seepage	Severe: depth to rock, seepage	Severe: depth to rock, seepage	Poor: area reclaim
LtC					
LYMAN	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock
TUNBRIDGE					
TUNBRIDGE	Severe: depth to rock	Severe: depth to rock, seepage, slope	Severe: depth to rock, seepage	Severe: depth to rock, seepage	Poor: area reclaim
LtD					
LYMAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Poor: depth to rock, slope

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
LtD					
TUNBRIDGE	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Severe: depth to rock, seepage, slope	Severe: depth to rock, seepage, slope	Poor: area reclaim, slope
LUD					
LYMAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Poor: depth to rock, slope
TUNBRIDGE	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Severe: depth to rock, seepage, slope	Severe: depth to rock, seepage, slope	Poor: area reclaim, slope
BECKET	Severe: percs slowly, slope	Severe: slope	Severe: slope	Severe: slope	Poor: seepage, slope, small stones
LUE					
LYMAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Poor: depth to rock, slope
TUNBRIDGE	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Severe: depth to rock, seepage, slope	Severe: depth to rock, seepage, slope	Poor: area reclaim, slope
BECKET	Severe: percs slowly, slope	Severe: slope	Severe: slope	Severe: slope	Poor: seepage, slope, small stones
LWC					
LYMAN	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock
TUNBRIDGE	Severe: depth to rock	Severe: depth to rock, seepage, slope	Severe: depth to rock, seepage	Severe: depth to rock, seepage	Poor: area reclaim

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
LWC					
MONADNOCK	Moderate: slope	Severe: seepage, slope	Severe: seepage	Severe: seepage	Poor: seepage
LWD					
LYMAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Poor: depth to rock, slope
TUNBRIDGE	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Severe: depth to rock, seepage, slope	Severe: depth to rock, seepage, slope	Poor: area reclaim, slope
MONADNOCK	Severe: slope	Severe: seepage, slope	Severe: seepage, slope	Severe: seepage, slope	Poor: seepage, slope
LWE					
LYMAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Poor: depth to rock, slope
TUNBRIDGE	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Severe: depth to rock, seepage, slope	Severe: depth to rock, seepage, slope	Poor: area reclaim, slope
MONADNOCK	Severe: slope	Severe: seepage, slope	Severe: seepage, slope	Severe: seepage, slope	Poor: seepage, slope
LXC					
LYMAN	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock
TUNBRIDGE	Severe: depth to rock	Severe: depth to rock, seepage, slope	Severe: depth to rock, seepage	Severe: depth to rock, seepage	Poor: area reclaim

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
LXC					
SKERRY	Severe: percs slowly, wetness	Severe: slope	Severe: wetness	Moderate: wetness	Poor: seepage, small stones
LyB					
LYMAN	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock, small stones
LyC					
LYMAN	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock, small stones
LzB					
LYMAN	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock
LzC					
LYMAN	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock
LzE					
LYMAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Poor: depth to rock, slope
MaB					
MARLOW	Severe: percs slowly	Moderate: seepage, slope	Slight:	Slight:	Fair: small stones, wetness
MaC					
MARLOW	Severe: percs slowly	Severe: slope	Moderate: slope	Moderate: slope, wetness	Fair: slope, small stones, wetness
Md					
MADE LAND	Limitation: variable	Limitation: variable	Limitation: variable	Limitation: variable	Limitation: variable

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
MeC					
MELROSE	Severe: percs slowly	Severe: seepage, slope	Severe: too clayey	Severe: seepage	Poor: hard to pack, too clayey
Mk					
MEDOMAK	Severe: flooding, ponding	Severe: flooding, ponding, seepage	Severe: flooding, ponding, seepage	Severe: flooding, ponding	Poor: seepage, small stones, too sandy
MkB					
MERRIMAC	Severe: poor filter	Severe: seepage	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy
MkC					
MERRIMAC	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy
ML					
MEDOMAK	Severe: flooding, ponding	Severe: flooding, ponding, seepage	Severe: flooding, ponding, seepage	Severe: flooding, ponding	Poor: seepage, small stones, too sandy
WONSQUEAK	Severe: flooding, percs slowly, ponding	Severe: excess humus, flooding, seepage	Severe: flooding, ponding	Severe: flooding, ponding, seepage	Poor: ponding
MnB					
MONADNOCK	Slight:	Severe: seepage	Severe: seepage	Severe: seepage	Poor: seepage
MnC					
MONADNOCK	Moderate: slope	Severe: seepage, slope	Severe: seepage	Severe: seepage	Poor: seepage
MvC					
MONADNOCK	Moderate: slope	Severe: seepage, slope	Severe: seepage	Severe: seepage	Poor: seepage

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
MvD					
MONADNOCK	Severe: slope	Severe: seepage, slope	Severe: seepage, slope	Severe: seepage, slope	Poor: seepage, slope
MWC					
MONADNOCK	Moderate: slope	Severe: seepage, slope	Severe: seepage	Severe: seepage	Poor: seepage
HERMON	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy
SKERRY	Severe: percs slowly, wetness	Severe: slope	Severe: wetness	Moderate: wetness	Poor: seepage
MXC					
MONADNOCK	Moderate: slope	Severe: seepage, slope	Severe: seepage	Severe: seepage	Poor: seepage
SKERRY	Severe: percs slowly, wetness	Severe: slope	Severe: wetness	Moderate: wetness	Poor: seepage, small stones
Nb					
NAUMBURG	Severe: poor filter, wetness	Severe: seepage, wetness	Severe: seepage, too sandy, wetness	Severe: seepage, wetness	Poor: seepage, too sandy, wetness
NCB					
NAUMBURG	Severe: poor filter, wetness	Severe: seepage, wetness	Severe: seepage, too sandy, wetness	Severe: seepage, wetness	Poor: seepage, too sandy, wetness
CROGHAN	Severe: poor filter, wetness	Severe: seepage, wetness	Severe: seepage, too sandy, wetness	Severe: seepage, wetness	Poor: seepage, too sandy

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
NvB NICHOLVILLE	Severe: wetness	Severe: wetness	Severe: wetness	Moderate: wetness	Good.:
On ONDAWA	Severe: flooding, poor filter	Severe: flooding, seepage	Severe: flooding, seepage, too sandy	Severe: flooding, seepage	Poor: seepage, too sandy
PbB PAXTON	Severe: percs slowly	Moderate: seepage, slope	Slight:	Slight:	Fair: small stones, wetness
PbC PAXTON	Severe: percs slowly	Severe: slope	Moderate: slope	Moderate: slope, wetness	Fair: slope, small stones, wetness
PbD PAXTON	Severe: percs slowly, slope	Severe: slope	Severe: slope	Severe: slope	Poor: slope
PfB PAXTON	Severe: percs slowly	Moderate: seepage, slope	Slight:	Slight:	Fair: small stones
PfC PAXTON	Severe: percs slowly	Severe: slope	Moderate: slope	Moderate: slope	Fair: slope, small stones
PfD PAXTON	Severe: percs slowly, slope	Severe: slope	Severe: slope	Severe: slope	Poor: slope
PkB PERU	Severe: percs slowly, wetness	Moderate: seepage, slope	Severe: wetness	Moderate: wetness	Fair: small stones, wetness

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
PkC					
PERU	Severe: percs slowly, wetness	Severe: slope	Severe: wetness	Moderate: slope, wetness	Fair: slope, small stones, wetness
PlB					
PERU	Severe: percs slowly, wetness	Moderate: seepage, slope	Severe: wetness	Moderate: wetness	Fair: small stones, wetness
PlC					
PERU	Severe: percs slowly, wetness	Severe: slope	Severe: wetness	Moderate: slope, wetness	Fair: slope, small stones, wetness
Py					
PODUNK	Severe: flooding, poor filter, wetness	Severe: flooding, seepage, wetness	Severe: flooding, seepage, wetness	Severe: flooding, seepage, wetness	Poor: seepage, too sandy
RbA					
RIDGEBURY	Severe: percs slowly, wetness	Severe: wetness	Severe: wetness	Severe: wetness	Poor: small stones, wetness
RgA					
RIDGEBURY	Severe: percs slowly, wetness	Severe: wetness	Severe: wetness	Severe: wetness	Poor: small stones, wetness
Ro					
ROCK LAND	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock	Poor: depth to rock, slope
Ru					
LYMAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Poor: depth to rock, slope
Ru					
RUMNEY	Severe: flooding, poor filter, wetness	Severe: flooding, seepage, wetness	Severe: flooding, seepage, wetness	Severe: flooding, seepage, wetness	Poor: seepage, small stones, too sandy

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
RZ					
RUMNEY	Severe: flooding, poor filter, wetness	Severe: flooding, seepage, wetness	Severe: flooding, seepage, wetness	Severe: flooding, seepage, wetness	Poor: seepage, small stones, too sandy
PODUNK	Severe: flooding, poor filter, wetness	Severe: flooding, seepage, wetness	Severe: flooding, seepage, wetness	Severe: flooding, seepage, wetness	Poor: seepage, too sandy
Sd					
SAUGATUCK	Severe: cemented pan, poor filter, wetness	Severe: cemented pan, seepage, wetness	Severe: seepage, too sandy, wetness	Severe: cemented pan, seepage, wetness	Poor: cemented pan, seepage, too sandy
Se					
SEARSPORT	Severe: ponding, poor filter	Severe: excess humus, ponding, seepage	Severe: ponding, seepage, too sandy	Severe: ponding, seepage	Poor: ponding, seepage, too sandy
SkB					
SKERRY	Severe: percs slowly, wetness	Moderate: seepage, slope	Severe: wetness	Moderate: wetness	Poor: seepage
SkC					
SKERRY	Severe: percs slowly, wetness	Severe: slope	Severe: wetness	Moderate: slope, wetness	Poor: seepage
Sn					
SCANTIC	Severe: percs slowly, wetness	Slight:	Severe: too clayey, wetness	Severe: wetness	Poor: hard to pack, too clayey, wetness
SnB					
SKERRY	Severe: percs slowly, wetness	Moderate: seepage, slope	Severe: wetness	Moderate: wetness	Poor: seepage, small stones
SnC					
SKERRY	Severe: percs slowly, wetness	Severe: slope	Severe: wetness	Moderate: slope, wetness	Poor: seepage, small stones

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
SnD					
SKERRY	Severe: percs slowly, slope, wetness	Severe: slope	Severe: slope, wetness	Severe: slope	Poor: seepage, slope, small stones
So					
SCARBORO	Severe: ponding, poor filter	Severe: excess humus, ponding, seepage	Severe: ponding, seepage, too sandy	Severe: ponding, seepage	Poor: ponding, seepage, too sandy
SOC					
SKERRY	Severe: percs slowly, wetness	Severe: slope	Severe: wetness	Moderate: wetness	Poor: seepage
BECKET					
BECKET	Severe: percs slowly	Severe: slope	Moderate: slope	Moderate: slope	Poor: seepage
SOD					
SKERRY	Severe: percs slowly, slope, wetness	Severe: slope	Severe:	Severe: slope	Poor: seepage, slope
BECKET					
BECKET	Severe: percs slowly, slope	Severe: slope	Severe: slope	Severe: slope	Poor: seepage, slope
Sp					
SEBAGO	Severe: ponding	Severe: excess humus, ponding, seepage	Severe: excess humus, ponding, seepage	Severe: ponding, seepage	Poor: excess humus, ponding
SRC					
SKERRY	Severe: percs slowly, wetness	Severe: slope	Severe: wetness	Moderate: wetness	Poor: seepage, small stones
BECKET					
BECKET	Severe: percs slowly	Severe: slope	Moderate: slope	Moderate: slope	Poor: seepage, small stones

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
SRD					
SKERRY	Severe: percs slowly, slope, wetness	Severe: slope	Severe: slope, wetness	Severe: slope	Poor: seepage, slope, small stones
BECKET					
BECKET	Severe: percs slowly, slope	Severe: slope	Severe: slope	Severe: slope	Poor: seepage, slope, small stones
SSC					
SKERRY	Severe: percs slowly, wetness	Severe: slope	Severe: wetness	Moderate: wetness	Poor: seepage
COLONEL					
COLONEL	Severe: percs slowly, wetness	Severe: slope, wetness	Severe: wetness	Severe: wetness	Poor: wetness
STC					
SKERRY	Severe: percs slowly, wetness	Severe: slope	Severe: wetness	Moderate: wetness	Poor: seepage, small stones
COLONEL					
COLONEL	Severe: percs slowly, wetness	Severe: slope, wetness	Severe: wetness	Severe: wetness	Poor: wetness
STD					
SKERRY	Severe: percs slowly, slope, wetness	Severe: slope	Severe: slope, wetness	Severe: slope	Poor: seepage, slope, small stones
COLONEL					
COLONEL	Severe: percs slowly, wetness	Severe: slope, wetness	Severe: wetness	Severe: wetness	Poor: wetness
SuC2					
SUFFIELD	Severe: percs slowly, wetness	Severe: slope	Severe: too clayey, wetness	Moderate: slope, wetness	Poor: hard to pack, too clayey

SANITARY FACILITIES
Cumberland County and Parts of Oxford County

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
SuD2					
SUFFIELD	Severe: percs slowly, slope, wetness	Severe: slope	Severe: slope, too clayey, wetness	Severe: slope	Poor: hard to pack, slope, too clayey
SuE2					
SUFFIELD	Severe: percs slowly, slope, wetness	Severe: slope	Severe: slope, too clayey, wetness	Severe: slope	Poor: hard to pack, slope, too clayey
Sz					
SWANTON	Severe: percs slowly, wetness	Severe: seepage	Severe: too clayey, wetness	Severe: seepage, wetness	Poor: hard to pack, too clayey, wetness
Tm					
TIDAL MARSH	Severe: flooding, ponding, poor filter	Severe: excess humus, flooding, seepage	Severe: flooding, ponding, seepage	Severe: flooding, ponding, seepage	Poor: excess humus, excess salt, ponding
TyB					
TUNBRIDGE	Severe: depth to rock	Severe: depth to rock, seepage	Severe: depth to rock, seepage	Severe: depth to rock, seepage	Poor: depth to rock, small stones
LYMAN					
LYMAN	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock, small stones
TyC					
TUNBRIDGE	Severe: depth to rock	Severe: depth to rock, seepage, slope	Severe: depth to rock, seepage	Severe: depth to rock, seepage	Poor: depth to rock, small stones
LYMAN					
LYMAN	Severe: depth to rock	Severe: depth to rock, slope	Severe: depth to rock	Severe: depth to rock, seepage	Poor: depth to rock, small stones
TyD					
TUNBRIDGE	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Severe: depth to rock, seepage, slope	Severe: depth to rock, seepage, slope	Poor: depth to rock, slope, small stones

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
TyD					
LYMAN	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, slope	Severe: depth to rock, seepage, slope	Poor: depth to rock, slope
UaC					
URBAN LAND	Limitation: variable	Limitation: variable	Limitation: variable	Limitation: variable	Limitation: variable
ADAMS	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, too sandy
UhC					
URBAN LAND	Limitation: variable	Limitation: variable	Limitation: variable	Limitation: variable	Limitation: variable
HERMON	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, small stones, too sandy
Va					
VASSALBORO	Severe: ponding	Severe: excess humus, seepage	Severe: ponding, seepage	Severe: ponding, seepage	Poor: excess humus, ponding
Vb					
VASSALBORO	Severe: ponding	Severe: excess humus, seepage	Severe: ponding, seepage	Severe: ponding, seepage	Poor: excess humus, ponding
VW					
VASSALBORO	Severe: ponding	Severe: excess humus, seepage	Severe: ponding, seepage	Severe: ponding, seepage	Poor: excess humus, ponding
WONSQUEAK	Severe: percs slowly, ponding	Severe: excess humus, seepage	Severe: ponding	Severe: ponding, seepage	Poor: ponding

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
Wa					
WALPOLE	Severe: poor filter, wetness	Severe: seepage, wetness	Severe: seepage, too sandy, wetness	Severe: seepage, wetness	Poor: seepage, too sandy, wetness
Wg					
WHATELY	Severe: percs slowly, ponding	Severe: ponding, seepage	Severe: ponding, too clayey	Severe: ponding	Poor: ponding, too clayey
Wh					
WHITMAN	Severe: percs slowly, ponding	Slight:	Severe: ponding	Severe: ponding	Poor: ponding
Wk					
WONSQUEAK	Severe: percs slowly, ponding	Severe: excess humus, seepage	Severe: ponding	Severe: ponding, seepage	Poor: ponding
WmB					
WINDSOR	Severe: poor filter	Severe: seepage	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, too sandy
WmC					
WINDSOR	Severe: poor filter	Severe: seepage, slope	Severe: seepage, too sandy	Severe: seepage	Poor: seepage, too sandy
WmD					
WINDSOR	Severe: poor filter, slope	Severe: seepage, slope	Severe: seepage, slope, too sandy	Severe: seepage, slope	Poor: seepage, slope, too sandy
WrB					
WOODBIDGE	Severe: percs slowly, wetness	Moderate: seepage, slope	Severe: wetness	Moderate: wetness	Fair: small stones, wetness
WrC					
WOODBIDGE	Severe: percs slowly, wetness	Severe: slope	Severe: wetness	Moderate: slope, wetness	Fair: slope, small stones, wetness

SANITARY FACILITIES**Cumberland County and Parts of Oxford County**

The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. Absence of an entry indicates that no rating is applicable.

Soil name and map symbol	Septic Tank Absorption Fields	Sewage Lagoon Areas	Trench Sanitary Landfill	Area Sanitary Landfill	Daily Cover For Landfill
WS					
WONSQUEAK	Severe: percs slowly, ponding	Severe: excess humus, seepage	Severe: ponding	Severe: ponding, seepage	Poor: ponding
SEARSPORT					
SEARSPORT	Severe: ponding, poor filter	Severe: excess humus, ponding, seepage	Severe: ponding, seepage, too sandy	Severe: ponding, seepage	Poor: ponding, seepage, too sandy
WsB					
WOODBIDGE	Severe: percs slowly, wetness	Moderate: seepage, slope	Severe: wetness	Moderate: wetness	Fair: small stones, wetness
WsC					
WOODBIDGE	Severe: percs slowly, wetness	Severe: slope	Severe: wetness	Moderate: slope, wetness	Fair: slope, small stones, wetness